

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**



110. Bicycle fork

112. Trailing
Wheel

100. Weight –
shifting device


108. Encircling
frame


Figure 1
102. Harness

104. Wheeled
frame

106. Bicycle
front end











Figure 4

114. Quick
disconnect
(front to back)



Means for separating and connecting front and back halves of frame.

Figure 5A

114. Quick
disconnect
(front to back)




Figure 5B

100. Weight-
shifting device

104. Wheeled
frame




Figure 6

112. Trailing
wheels

108. Encircling
frame

114. Quick
disconnect (front
to back)

126. Water
bottle

12. Water
bottle holder




Figure 7

12. Water
bottle holder

11. Restraining
Bungee

124. Steering
stem

122. Washer
(steering device)

10. Two inch
screw with
washer and nut

9. Free-sliding
Neodymium
magnet

120. Cross member
(steering device)




Figure 8